

AI BASED SYSTEM FOR MANAGING OPERATIONS

B V Tarun Deep Reddy

*Department of Computing Technology,
School of Computing,*

SRM Institute of Science and Technology, SRM Institute of Science and Technology,

SRM Nagar, Kattankulathur,

Chennai, Tamil Nadu, India

tb1644@srmist.edu.in

K Bharath Royal

*Department of Computing Technology,
School of Computing,*

SRM Nagar, Kattankulathur,

Chennai, Tamil Nadu, India

bk7210@srmist.edu.in

Dr G Padma Priya

Associate Professor,

*Department of Computing Technology,
School of Computing,*

SRM Institute of Science and Technology,

SRM Nagar, Kattankulathur,

Chennai, Tamil Nadu, India

padmaprg1@srmist.edu.in

Abstract—The rapid development of Artificial Intelligence (AI) and computer vision technologies has enabled the development of intelligent systems for automating workplace monitoring and attendance management. Conventional workplace monitoring and attendance management systems, such as manual registers, RFID cards, and biometric systems, are associated with several inefficiencies, limitations, and manipulability issues. This paper proposes an AI Powered Workplace Monitoring System using computer vision and AI techniques for automatic detection, recognition, and monitoring of employees in a workplace environment. The proposed AI-powered workplace monitoring system is based on a camera-based monitoring approach, Haar Cascade Face Detection Algorithm, and Local Binary Pattern Histogram (LBPH) Face Recognition Model for automatic detection and recognition of employees in the workplace environment. Facial images are acquired and processed using grayscale normalization and histogram equalization techniques for accurate face recognition under varying environmental conditions. The proposed AI-powered workplace monitoring system also includes a secure administrator authentication module for controlled access to monitoring sessions. The monitoring module continuously processes camera feed for automatic detection and recognition of employees and records the time of their presence in the monitoring camera's field of view. A time-based mechanism for the evaluation of the employees is introduced, in which the employees should remain visible for at least 80 percent of the duration of the monitoring session. The experiment shows that the proposed system is efficient in providing reliable real-time monitoring of the employees. The integration of artificial intelligence and the monitoring techniques has made the system intelligent and efficient for the workplace environment. Moreover, the proposed framework minimizes the need for manual supervision and makes the attendance tracking system more reliable in varying working conditions. The proposed system is also extendable in the future by incorporating more advanced deep learning techniques and cloud-based monitoring systems for larger organizational environments.

Index Terms—Artificial Intelligence, Computer Vision, Face Detection, Face Recognition, Workplace Monitoring, Attendance Management, Local Binary Pattern Histogram (LBPH), Real-Time Monitoring.

I. INTRODUCTION

In the highly evolving digital world, the management of the workplace and the monitoring of employees are significant factors that help in the efficient management of the modern-day organization. In most cases, the conventional methods of managing the workplace are not efficient in the modern-day organization, as they are time-consuming and often involve human error. In the highly evolving world, the workplaces are getting larger in terms of operational complexities, making it more challenging to deal with the conventional methods of managing the workplace. In this regard, the need for intelligent technologies that help in the efficient management of the workplace is more evident now than ever. Artificial Intelligence is a revolutionary technology that has the capability to revolutionize the operational systems of the modern-day organization. In the modern-day organization, the use of AI-based technologies is more evident in terms of the efficient management of the workplace. In this regard, the use of AI-based technologies in the efficient management of the workplace is more evident now than ever. Research in this regard has shown that AI-based technologies can help in the efficient management of the workplace by enhancing the operational efficiency of the organization. The paper presents an AI-Powered Workplace Monitoring System that is developed to automate the process of employee monitoring and attendance evaluation through computer vision technology. The main aim of the proposed system is to provide an intelligent system that is capable of detecting and recognizing employees in real time and their presence within the monitored environment. The proposed system is developed through the integration of face detection and recognition technologies, which make the process of attendance management simpler and more transparent and reliable in terms of the overall monitoring process. The proposed system is applicable in various environments, including corporate offices, educational institutions, research environments, and other professional

environments. The proposed system is developed through the integration of various AI technologies, including machine learning algorithms, image processing techniques, and automated monitoring systems. The proposed system is capable of detecting the face of the employees through camera inputs and recognizing the employees through the integration of face recognition models and their presence during the overall monitoring session through the implementation of the automated monitoring system. Moreover, the AI-based monitoring systems provide the advantage of continued operations without the element of fatigue or limitations. In this regard, the AI-based systems are different from the traditional systems, as the former systems are capable of continued operations in the monitored environments, unlike the traditional systems, which are based on the element of human supervision. Such a system is capable of reducing the costs of operations and increasing the reliability of the monitoring operations in the workplace. In addition, the AI-based systems provide the advantage of tracking the employees' presence in the workplace, and the system is capable of generating the necessary reports, which help in the evaluation of the employees' presence in the workplace. The integration of Artificial Intelligence in the workplace monitoring systems also provides the advantage of increasing the level of transparency and accountability in the organizations. In this regard, the results of this research indicate that the integration of AI-based monitoring systems has the potential to transform the traditional workplace monitoring systems into intelligent systems, which are capable of providing the necessary support to the organizations in the contemporary environment.

II. LITERATURE REVIEW

Artificial Intelligence (AI) and computer vision technologies have significantly improved the monitoring and automation of various domains, including intelligent surveillance, security management, and workplace supervision. Many researchers have attempted to investigate the use of AI-based monitoring systems for the automation of employee attendance tracking and supervision in real-time working conditions. Previous research has primarily focused on the application of facial recognition technologies and computer vision techniques for the identification of individuals and their activities. These technologies are expected to minimize the need for supervision while improving the accuracy of the monitoring process. The accuracy of the monitoring system may vary depending upon the efficiency of the face detection and recognition technologies, the quality of the training data, and the ability of the system to perform under changing environmental conditions. Several researchers have proposed face recognition-based monitoring systems through the application of various machine learning algorithms, including the Local Binary Pattern Histogram (LBPH), Eigenface, and Fisherface algorithms, for the real-time identification of individuals. The techniques have been widely used in various systems due to their ability to identify individuals based on their face recognition features and comparison with the trained data set. Furthermore, prepro-

cessing techniques have been used to normalize the images and equalize the histograms, resulting in the efficient identification of individuals through the face recognition-based monitoring systems. In addition, recent advancements have been made regarding frameworks related to computer vision, which have improved AI-based monitoring systems. Modern monitoring systems involve camera systems and machine learning techniques, which enable the analysis of videos and identification of individuals who are present in a particular area. This has helped organizations to develop their own monitoring systems, which can increase transparency, reduce costs, and provide reliable attendance management systems. Therefore, AI-based monitoring systems have been widely adopted by various organizations, educational institutions, and security systems to increase efficiency and data-driven management systems.

A. Biometric Authentication and Attendance Tracking via Facial Recognition

Facial recognition has been recognized as an important biometric technology for authentication and attendance monitoring systems in modern organizations. Various studies have been conducted to explore the application of computer vision technology for automatic detection and recognition of people in real-time environments. Traditional attendance systems, such as manual attendance systems, biometric attendance systems, and RFID attendance systems, involve physical interaction and can be easily manipulated. In addition, they can be inaccurate at times. With advancements in computer vision technology, facial recognition has been recognized as an accurate technology for authentication and attendance systems. Various techniques, such as Local Binary Pattern Histogram (LBPH) algorithm, have been widely used for recognizing people by recognizing their facial features and matching them with pre-trained datasets. These systems have been used for developing attendance systems that can automatically monitor employees by recognizing people through cameras. However, various challenges have been recognized with regard to facial recognition systems, which include changes in lighting conditions, changes in orientation, occlusions, and changes in camera orientation. These challenges have to be addressed by applying pre-processing techniques to improve the accuracy of workplace monitoring systems.

B. AI-Based Workplace Monitoring Systems

AI-based workplace monitoring systems have received considerable attention over the past few years, with organizations aiming to implement smart solutions for improving the transparency of the workplace environment. Computer vision helps the system monitor the environment, detect the presence of human beings, and respond appropriately without the need for human intervention. Previous studies have shown that an automated system can monitor the presence of employees, create reliable attendance records, and effectively utilize computer vision. Such systems usually involve the use of face detection algorithms, including the Haar Cascade classifier, along with face recognition algorithms for identifying the individuals

who appear in the environment. Such systems can effectively monitor the presence of employees, analyze the participation levels of the employees during working hours, and respond appropriately. Even though the idea of an automated system for workplace monitoring has shown promising results, challenges such as variations in lighting conditions, the presence of two or more individuals at the same time, and the accuracy of the system still need to be addressed for the efficient implementation of the system.

III. SYSTEM ARCHITECTURE

The proposed AI Powered Workplace Monitoring System is based on a modular and scalable architecture, ensuring the efficient automation of the process of monitoring employees and evaluating their attendance using computer vision and machine learning approaches. The proposed system will incorporate camera-based data acquisition, image processing, face recognition, and automatic attendance tracking, ensuring an intelligent monitoring approach is implemented. The proposed architecture will ensure the continuous monitoring of individuals in a workplace environment, ensuring secure access control and accurate attendance evaluation. The proposed architecture of the AI Powered Workplace Monitoring System is based on efficient data acquisition, face recognition, and monitoring processes, ensuring efficient monitoring of employees using computer vision and structured monitoring approaches. The proposed system will ensure efficient face recognition and monitoring of employees, ensuring accurate tracking of their presence during the monitoring session using computer vision approaches and structured monitoring approaches. The proposed system will ensure efficient monitoring of employees in diverse workplace environments, such as offices, educational institutions, laboratories, and workplaces. The proposed architecture is based on a layered model, which enhances the system's scalability, flexibility, and maintainability. In the proposed architecture, each layer has a different role to play, and this allows the system to process the camera input, facial data, and monitoring session, as well as generate the attendance report. Thus, the layered model ensures the communication between the system's modules and the efficient processing of the monitoring data.

A. System Architecture Framework

The overall system architecture is composed of four main layers, which are the Data Acquisition Layer, Image Processing Layer, Recognition and Monitoring Layer, and User Interaction Layer. All these layers are essential in the efficient working of the monitoring system, and there is a clear demarcation of duties between the different system components. The Data Acquisition Layer is in charge of acquiring visual information in real time using camera devices placed in the monitoring environment. Cameras are used to take video frames containing facial information about the people in the monitored workspace. Video frames are the primary input to the monitoring system, and they are forwarded to the next layer in the system architecture. The video frames are processed in

the Image Processing Layer, which is in charge of preparing the visual information to be used in the recognition process. Image preprocessing techniques are employed in this layer, and they include converting the image to grayscale, histogram equalization, noise reduction, and normalization. Image preprocessing techniques are used to enhance the quality of the image, and this improves the reliability of the face detection and recognition system. The Recognition and Monitoring Layer is the intelligent part of the system. This layer is responsible for face recognition using machine learning algorithms. The system uses the Haar Cascade classifier to detect the face in the frames captured by the camera. The Local Binary Pattern Histogram (LBPH) algorithm is used to recognize the face by comparing the detected features with the images in the dataset. After recognizing the individual, the system records the individual's presence and the time for which the individual is visible to the camera. Finally, the User Interaction Layer is the interface that allows the system administrators to interact with the system. This layer allows the system administrators to authenticate themselves with the system, initiate the monitoring process, set the time for the monitoring process, and display the results of the monitoring process. The system also allows the generation of reports regarding the attendance of the employees. The modular structure of the architecture guarantees the independent functioning of each layer while ensuring smooth communication with other components of the system. This division of labor will make the system more maintainable, and individual components of the system can be upgraded without affecting the overall architecture. The layered structure of the architecture will also allow for efficient real-time monitoring of the system and the integration of powerful computer vision techniques in the future, thereby enhancing the scalability of the system.

B. Face Recognition and Monitoring Module

The face recognition module is the core component of the system, which makes it possible to automatically identify employees within the work environment. At this stage, i.e., the dataset creation stage, the system captures a number of images of employees using the face capture module. These images are stored in the dataset, which is used to train the model. At this stage, i.e., the training stage, the system processes the images it has captured and trains the Local Binary Pattern Histogram (LBPH) model. The model is trained to identify the features of each employee. During the real-time monitoring session, the camera takes pictures continuously, and the face detection algorithm analyzes the pictures taken by the camera. The recognition module then matches the face detected in the camera's view with the trained data set and identifies the individual's face. The system then shows the name of the employee corresponding to the face detected in the camera's view. The system is also able to detect and recognize multiple individuals appearing in the camera's view at the same time. If the individual is out of the camera's view for a while and then reappears in the view, the system will start tracking the individual's presence again.




Fig. 1. System Architecture of the proposed AI-Powered Workplace Monitoring System .

C. Attendance Evaluation Module

The attendance evaluation module has the responsibility of determining the attendance status of employees within a monitoring session. This module calculates the total duration of time employees are visible within the camera frame. When a monitoring session is initiated, the system captures the time at which the session starts. Within the monitoring session, the system continually calculates the time of presence of each recognized individual. The system checks the attendance of employees using a time-based rule, where employees must be visible within the camera frame for at least 80 percent of the overall time spent within the monitoring session. When the time of presence of an employee meets the threshold condition, the system declares the employee present; otherwise, the system declares the employee absent. This automated process ensures that the attendance status of employees reflects actual participation within a monitoring session.

D. Backend System and Data Management

The backend system is responsible for handling communication with other modules of the monitoring system architecture. The backend system processes the video frames, conducts the recognition, and manages the monitoring sessions, as well as storing the monitoring results. The backend system is also responsible for handling the system data, such as the employee dataset, authentication details, monitoring session data, and attendance reports. A lightweight database is used for storing the employee identity data and the results of the attendance. This is important for retrieving and updating the monitoring results as the system operates. The backend system is also responsible for handling session control, ensuring smooth operation of the monitoring sessions. The backend coordinates the session with the camera input module, the recognition module, and the attendance evaluation module.

E. Administrator Interface and Monitoring Control

The system also includes an administrator interface, which will allow the administrators to monitor the activities of the

system. However, the administrators will have to authenticate themselves using secure login credentials, email, and password, before the monitoring session begins. Once the administrators have authenticated themselves, they will be able to set the parameters of the monitoring session, such as the duration of the session, and begin the session. The administrators will also be able to view the results of the recognition in real time and the attendance report after the session is over. The administrators will also be able to operate the system with the help of this interface, which will provide them with the necessary tools to monitor the activities of the system.

F. Deployment and Security Considerations

The system architecture proposed is capable of running efficiently on various computing platforms, including Windows, Linux, and macOS. The system architecture also has a low requirement in terms of hardware, including a normal webcam and a moderately powerful processing unit, thus making it feasible to implement in small and medium-sized organizations. Another important aspect of the system architecture is the incorporation of security and privacy requirements. The facial datasets and authentication details are stored securely, thus preventing unauthorized access. The administrator authentication ensures that only authorized personnel can use the system to start the monitoring process or access the results of the monitoring process. The system architecture is also scalable, thus making it feasible to incorporate new features in the future, including the addition of new cameras, better recognition models, or even cloud-based monitoring, without altering the system architecture significantly.

IV. METHODOLOGY

The proposed system, namely the AI Powered Workplace Monitoring System, uses an efficient methodology that incorporates computer vision, machine learning, and monitoring techniques for the automation of employee identification and attendance evaluation. The methodology is based on the identification and recognition of individuals based on their facial characteristics, which are captured through the computer vision-based workplace monitoring system. The system uses several stages for the efficient identification of individuals, including the acquisition of input, preprocessing, face detection, feature extraction, training, and real-time identification. These stages ensure the efficient identification of individuals, which is followed by the evaluation of their attendance during the workplace monitoring sessions. The workflow of the proposed system ensures the efficient processing of the input received from the cameras, which is then processed to obtain useful information for the workplace monitoring system. The system uses several stages, including the preprocessing of the input, face detection, and machine learning, which ensures the efficient identification of individuals based on the input received from the cameras. The system tracks the attendance of the users based on the input received from the cameras.

A. Data Collection And Preprocessing

The first step of the methodology is the collection of face images through the camera installed in the monitoring environment. At this step, the video stream collected through the camera is converted into frames for the purpose of face recognition. The collected frames act as the primary input for the face recognition system. The collected frames are then subjected to preprocessing techniques to enhance the quality of the images and ensure the quality of the input for the face recognition system. The preprocessing techniques for face images include converting the images to grayscale, equalizing the histograms, reducing the noise, and normalizing the images. The preprocessing techniques ensure the quality of the face images, reducing the influence of lighting conditions and background noise, hence ensuring the accuracy of the face recognition system. The conversion of face images from color to grayscale is done using the following equation:

$$Gray = 0.299R + 0.587G + 0.114B \quad (1)$$

where R, G, and B are the red, green, and blue color components of the image, respectively. This conversion minimizes the computational complexity while preserving significant facial features necessary for recognition. OpenCV libraries are used to capture video frames and perform preprocessing operations efficiently before passing the images to the face detection module

B. Face Detection Using Haar Cascade Algorithm

The face detection is carried out with the help of the Haar Cascade classifier, which is an object detection technique used in the field of computer vision. The Haar Cascade algorithm is used to detect objects such as human faces with the help of a cascade of classifiers that are trained with positive and negative images. The algorithm uses the sliding window technique to scan the entire image and detect the Haar features to find out whether the face is present in the particular region of the image or not. The value of the Haar feature is calculated as follows:

$$Feature = \sum_{white} pixels - \sum_{black} pixels \quad (2)$$

The classifier examines several Haar features on different scales to identify faces in the image. This is achieved using the cascade method, which rejects non-face regions using simple classifiers and applies complex ones only on promising regions. The method is used to efficiently detect facial regions in real-time video images.

C. Face Recognition Using LBPH Algorithm

Once the face is detected, the system carries out the face recognition using the Local Binary Pattern Histogram (LBPH) algorithm. The LBPH algorithm is a texture-based feature extraction algorithm that extracts facial features by analyzing the texture of the image. In the LBPH algorithm, the intensity of neighboring pixels of the image is compared with the center

pixel for each pixel in the image. A binary value is assigned to the pixel based on the comparison:

$$LBP(x, y) = \sum_{p=0}^{P-1} s(i_p - i_c) \times 2^p \quad (3)$$

where:

- i_c is the intensity value of the center pixel
- i_p represents the intensity of neighboring pixels
- $s(x)$ is defined as

$$s(x) = \begin{cases} 1, & x \geq 0 \\ 0, & x < 0 \end{cases} \quad (4)$$

This is a binary pattern, which creates a numerical representation of the local texture surrounding each pixel. Histograms are then created from these patterns, which are used as feature vectors for face recognition. In training, the LBPH algorithm learns the patterns of each person's face. In recognition, the algorithm compares the histogram of the detected face with existing ones to determine who the person is.

D. Real-Time Face Recognition And Monitoring

During the system's operation, the monitoring system will constantly acquire frames of the video stream coming from the camera. At the same time, it will perform face detection and recognition in real time. Each face detected will then be matched against the trained dataset using the LBPH face recognition model. In cases where the system detects a match with the face detected in the real-time video stream against the face images in the dataset, the system will then display the identity of the face detected, thus initiating the tracking of the individual's presence in the system. In cases where the system is not able to match the face detected against the face images in the dataset, the system will then flag the face detected as unknown. The real-time face recognition capability will ensure that individuals present in the environment monitored by the system are recognized automatically.

E. Attendance Evaluation Algorithm

The attendance evaluation module calculates the time for which the recognized individual is visible in the camera's field of view. The system records the time for which the employee is present during the monitoring session. The time-based condition for the employee's attendance requires the employee to be visible for more than 80 percent of the total monitoring time. The condition for the employee's attendance can be represented as:

$$\text{Presence Ratio} = \frac{\text{Presence Time}}{\text{Total Session Time}} \quad (5)$$

If

$$\text{Presence Ratio} \geq 0.8 \quad (6)$$

Then, the employee is marked as Present; otherwise, the employee is marked as Absent. This approach is important since it is based on actual participation by employees within the monitoring environment.

F. Data Logging and Report Generation

All monitoring results obtained through the monitoring system are recorded in the form of structured records in the database of the system. The records include details of the employee, duration of presence, session time, and the final attendance status of the employee. The monitoring system also offers the facility of obtaining monitoring reports, reflecting the attendance status of all the employees after the completion of the monitoring session. This helps the administrators obtain a proper idea of the participation of the employees in the monitoring session. The monitoring records also facilitate the evaluation of past monitoring sessions, and the structured records of the monitoring results help in decision-making processes, ensuring transparency in the monitoring of the workplace.




Fig. 2. End-to-End Monitoring Process Using Face Detection and Recognition.

V. RESULTS AND EVALUATION

The proposed AI-Powered Workplace Monitoring System was experimentally evaluated to assess its performance in terms of face recognition accuracy, real-time monitoring ability, system response time, and reliability of the attendance evaluation mechanism. The experiments were carried out in a controlled indoor environment using a webcam-based monitoring environment. The purpose of the experiment was to assess the ability of the proposed system to accurately recognize the user, monitor the user in real time, and evaluate the user's attendance according to the defined monitoring rule where the user must be in the camera's view at least 80 percentage of the total session time in order to be marked as attended. In addition, the experimental assessment also included the computational performance of the proposed system in terms of training time, face recognition time, and resource consumption. Multiple experiment sessions were carried out using different users and varying environmental conditions such as illumination and head orientation in order to evaluate the robustness of the proposed system in a real-world environment.

A. Experimental Setup

The experiments were carried out in an indoor environment with normal webcam capabilities and a computer with average computational capabilities. The system was implemented using Python programming with OpenCV library for image processing and face detection, as well as LBPH (Local Binary Pattern Histogram) for face recognition. The experiments were carried out with 10 participants enrolled in the system, and their face images were taken by implementing the face data collection module developed in this project. The face images for each participant were taken from different orientations, i.e., straight, slightly left, and slightly right, for more reliable face recognition. The monitoring experiments were carried out over multiple sessions with different durations ranging from 10 seconds to 1 minute for evaluating the attendance calculation logic implemented in the system.

B. Face Dataset Collection Summary

The facial data set used for the training of the recognition model included a set of facial images obtained from each user through the guided face capture module. The process of capturing the face involved the provision of head movement instructions.

Table 1 presents the summary of the dataset used during the training stage.

TABLE I
FACE DATASET COLLECTION SUMMARY

Parameter	Value
Total Registered Users	10
Images Captured per user	30
Total Training Images	300
Capture Duration Per User	10 seconds
Image Resolution	220*220 pixels
Dataset Type	Grayscale Facial Images

This ensured the collected dataset had enough diversity in terms of facial features while keeping the quality of the images consistent. The images were then converted to grayscale before they were resized to a given resolution.

C. Face Recognition Training Performance

The facial recognition model was trained using the Local Binary Pattern Histogram (LBPH) algorithm. This algorithm was chosen based on its ability to perform well for real-time applications and its robustness against variations of illumination. During the training phase, the algorithm examined the texture patterns of the faces and generated histograms for the special facial characteristics of each individual. These histograms were stored by the trained model for later usage during real-time monitoring.

Table 2 shows the training performance of the LBPH algorithm.

TABLE II
FACE RECOGNITION TRAINING PERFORMANCE

Metric	Value
Face Recognition Algorithm	LBPH
Training Time	14 seconds
Number of Classes (Users)	10
Total Training Users	300
Average Training Accuracy	89.6%
Feature Representation	Local Binary Pattern Histogram

From the results obtained, it is clear that the training process was conducted over a small duration while the accuracy of the recognition process is high. The lightweight nature of the LBPH algorithm allows the system to train the models over a small duration.

D. Real-Time Face Recognition Performance

The performance of the recognition system was tested using the webcam's live feed during the monitoring sessions. The system's continuous video feed from the webcam, face detection using the Haar Cascade algorithm, and face recognition using the trained LBPH model were tested. The accuracy of the face recognition system was determined by comparing the recognized face's identity with the ground truth of the user's identity.

The real-time face recognition results for some users are shown in Table 3.

TABLE III
REAL-TIME FACE RECOGNITION PERFORMANCE

User Name	Recognition Accuracy (%)	Detection Time (ms)
Tarun	91.2	20
Bharath	88.5	21
Manas	86.9	23
Deepu	87.4	22
Unknown	—	—

The results show that the proposed system has high accuracy in recognition and low latency in detection. The recognition model has been able to recognize the registered users with some variation in the orientation of their faces and the lighting conditions.




Fig. 3. Recognition Accuracy And Time.

E. System Processing Performance

In addition to accuracy, the performance of the system was also evaluated on the basis of speed and resource usage.

The system continuously processed video frames captured by the webcam and performed face detection and recognition operations in real time.

Table 4: Performance metrics observed during the monitoring experiments.

TABLE IV
SYSTEM PROCESSING PERFORMANCE

Performance Metric	Value
Average Processing Time	1.1 Seconds
Recognition Time	0.8 Seconds
CPU Utilization	23%
Memory Usage	410 MB
Camera Resolution	1280*720
Processing Platform	Laptop CPU

From the results, it is clear that the system worked as expected with minimal CPU and memory usage. This ensured that the average time taken in processing each frame remained low, facilitating real-time monitoring.




Fig. 4. System Performance Metric.

F. Attendance Evaluation Performance

Another important aspect of the proposed system is the automated attendance evaluation mechanism. Instead of simply detecting the user and marking their attendance, the system calculates the time duration for which the user remains in the frame. Attendance is evaluated using the 80 percent rule, where the user must be in the frame for at least 80 percent of the total duration of the session.

Table 5: Attendance Evaluation Example

TABLE V
ATTENDANCE EVALUATION EXAMPLE

User	Session Time (sec)	Presence Time (sec)	Status
Tarun	10	9	Present
Bharath	10	6	Absent
Manas	10	8	Present
Deepu	10	5	Absent

This approach ensures that attendance is calculated based on actual presence during the monitoring session, making the system more reliable than traditional attendance tracking methods.




Fig. 5. Attendance Performance.

G. System Usability and Deployment Readiness

The developed monitoring system showed its reliability during the prolonged testing period. The administrator interface provided the facility to authenticate the users and set the duration of the monitoring session. After the successful login, the face recognition module was executed automatically. At the end of each monitoring session, the system provided the facility to generate the attendance report. According to the users, the interface provided by the developed monitoring system is simple and user-friendly. The system does not require a connection to the cloud environment, which makes the system more reliable in terms of privacy and cost.

H. Limitations and Future Improvements

Despite the fact that the proposed system has demonstrated promising results, it has also revealed some limitations. The accuracy of face recognition was slightly reduced when there were extreme changes in light or when users were wearing accessories that concealed their faces, such as masks or hats. Moreover, the fact that it uses only one camera view might compromise face recognition when users move out of the camera view. In future, it would be possible to incorporate face recognition models that make use of deep learning algorithms for better face recognition accuracy. Additionally, it would be possible to integrate multiple camera views and cloud monitoring infrastructure for larger organizational setups.

I. Summary of Assessment

From the experimental evaluation, it can be clearly identified that the proposed AI-Powered Workplace Monitoring System can effectively perform face recognition in real-time. High accuracy in face recognition, as well as minimal computational latency, are also evident from the experimental evaluation. Automated Attendance Evaluation Mechanism: The automated attendance evaluation mechanism of the proposed system offers a transparent and reliable way of managing employee attendance compared to traditional attendance management solutions. Due to its modular nature and efficiency, the system can be easily implemented in various workplace environments. Overall, the system shows strong potential for use in workplace environments where automated attendance tracking and monitoring can help improve operational transparency and management efficiency.

VI. CONCLUSION

This paper offers a new AI-based system for workplace monitoring that is capable of automating the process of employee presence tracking using face recognition and computer vision technologies. This proposed system utilizes face detection technology based on the Haar Cascade algorithm and face recognition technology based on the Local Binary Pattern Histogram (LBPH) method. This system will be able to assess the attendance of employees based on the percentage of time the employee is visible in the monitoring window. This is a reliable alternative to traditional attendance management systems. From the experimental results, it is clear that the proposed system is able to provide reliable face recognition accuracy while ensuring efficient real-time performance with minimal computational resources. It is also able to successfully detect the presence of multiple employees during the monitoring sessions, regardless of the orientation of the faces and lighting conditions. Another major advantage of the proposed system is its lightweight design, which will enable the system to function effectively on regular computing machines. This implies that the system will be able to function effectively in different workplace environments. In addition to the above, the automated monitoring of attendance will reduce the need for supervision while increasing the transparency of the system. The proposed system will be able to generate reports on attendance, thus allowing for the accurate monitoring of the workforce. The possible improvements for the future could include the integration of advanced deep learning techniques for better face recognition, the inclusion of the monitoring of multiple cameras, and the inclusion of cloud management for the data. These could make the system even better and more efficient. Overall, the proposed system has shown to offer an efficient and practical approach to the monitoring of the workplace environment. The integration of artificial intelligence and computer vision has shown significant potential for improving the transparency and management of the workplace environment.

REFERENCES

- [1] S. Li, J. Gao, Y. Chen, and L. Wu, "Adaptive optimization in an AI-driven supply chain management system," *IEEE Transactions on Industrial Informatics*, vol. 16, no. 7, pp. 4567–4576, Jul. 2020.
- [2] M. T. Nguyen, F. Salah, and R. B. Lee, "Deep reinforcement learning for autonomous resource allocation in distributed operations," *IEEE Access*, vol. 8, pp. 127892–127906, 2020.
- [3] A. Gupta, N. Kumari, and O. De Preester, "A cloud-based MLOps pipeline for continuous learning in manufacturing process optimization," in *Proc. IEEE Int. Conf. Big Data*, Seattle, WA, USA, 2021, pp. 2151–2158.
- [4] T. K. Das, S. Sarkar, and M. J. Rao, "AI-based scheduling framework for dynamic job-shop environments," *Computers & Industrial Engineering*, vol. 154, p. 107136, Apr. 2021.
- [5] Y. Wang, K. Lin, and H. Fu, "Predictive maintenance using IoT and deep learning in operations management," *Expert Systems with Applications*, vol. 175, p. 114788, Dec. 2021.
- [6] S. Raei, M. Khoshnoud, and Z. Chen, "Towards intelligent operations: A systematic literature review on AI in supply chain management," *Industrial Management & Data Systems*, vol. 123, no. 2, pp. 401–425, 2023.

- [7] H. Chang, A. V. Rao, and F. J. Xu, "Development of AI-driven dashboards for real-time operational insights," *IEEE Transactions on Engineering Management*, vol. 70, no. 1, pp. 138–152, Feb. 2023.
- [8] D. Li, Y. Li, X. Jin, and R. Huang, "An artificial intelligence approach to dynamic dispatching in flexible job-shop operations," *Robotics and Computer-Integrated Manufacturing*, vol. 71, p. 102156, Jun. 2021.
- [9] K. Patel, A. S. Pillai, and M. Yu, "Explainable AI-based decision support for complex manufacturing environments," *IEEE Transactions on Industrial Informatics*, vol. 18, no. 9, pp. 5934–5943, Sept. 2022.
- [10] P. K. Gupta, J. Sundaram, and T. Y. Chen, "Automated anomaly detection in operational data streams for proactive management," *IEEE Internet of Things Journal*, vol. 7, no. 7, pp. 6682–6692, Jul. 2020.
- [11] V. N. Muralidharan, C. A. Trost, and G. Tan, "Building resilience with AI-based supply chain analytics: A case study," in *Proc. IEEE Int. Conf. Industrial Informatics*, Lisbon, Portugal, 2022, pp. 522–529.
- [12] L. S. McLean, J. W. Patterson, and S. Q. Huang, "Hybrid AI architecture for integrating predictive and prescriptive analytics in operations," *IEEE Transactions on Automation Science and Engineering*, vol. 19, no. 6, pp. 5321–5332, Nov. 2022.
- [13] A. K. Saxena, B. W. Xu, and T. Zhong, "Machine learning-driven inventory optimization in e-commerce fulfillment centers," *IEEE Transactions on Engineering Management*, vol. 69, no. 2, pp. 557–568, May 2022.
- [14] Z. Li, M. Omar, and J. E. Hernandez, "Continuous improvement in AI-based operational management: A knowledge transfer approach," *Journal of Manufacturing Systems*, vol. 63, pp. 207–217, Feb. 2022.